



PP LGM*, plattor – VINK® PP Alphaplus LGM*

Kvalitet: Extruderad
Färg: Grå RAL 7032
Densitet: 0,91 g/cm³

Tjocklek	Längd	Bredd	Teoretisk vikt	Art.nr.
mm	mm	mm	kg/stk	
1,0	2000	1000	2,02	105023
2,0	2000	1000	3,77	105025
2,0	3000	1500	8,20	105042
3,0	2000	1000	5,50	105026
3,0	3000	1500	12,40	105043
4,0	2000	1000	7,30	105027
4,0	3000	1500	16,50	105044
5,0	2000	1000	9,20	105028
5,0	3000	1500	20,60	105045
6,0	2000	1000	11,00	105029
6,0	3000	1500	24,70	105046
6,0	4000	2000	43,90	123965
8,0	2000	1000	14,60	105030
8,0	3000	1500	32,90	105047
8,0	4000	2000	58,60	105054
10,0	2000	1000	18,30	105031
10,0	3000	1500	41,20	105048
10,0	4000	2000	73,40	107035
12,0	2000	1000	22,00	105032
12,0	3000	1500	49,40	105049
15,0	2000	1000	27,50	105033
15,0	3000	1500	61,80	105050
15,0	4000	2000	109,80	105056
20,0	2000	1000	36,60	105034
20,0	3000	1500	82,40	105051
20,0	4000	2000	146,40	105057
25,0	2000	1000	45,80	105035
25,0	3000	1500	105,75	152298
30,0	2000	1000	54,90	105036
30,0	3000	1500	125,90	105053
30,0	4000	2000	220,08	114752
40,0	2000	1000	73,20	105037
40,0	3000	1500	164,70	130420
40,0	4000	2000	292,80	128580
50,0	2000	1000	91,50	132669

*) LGM - Livsmedelsgodkänt Material



PP, plattor – VINK® PP-LGM*

Kvalitet: Extruderad
Färg: Natur
Densitet: 0,90 g/cm³

Tjocklek	Längd	Bredd	Teoretisk vikt	Art.nr.
mm	mm	mm	kg/stk	
1,0	2000	1000	1,80	123635
1,5	2000	1000	2,70	105064
2,0	2000	1000	3,60	105065
3,0	2000	1000	5,40	161831
3,0	3000	1500	12,40	121768
4,0	2000	1000	7,20	161832
4,0	3000	1500	16,92	105073
5,0	2000	1000	9,00	187227
5,0	3000	1500	21,83	111146
6,0	2000	1000	10,90	105069
6,0	3000	1500	25,38	129076
8,0	2000	1000	15,04	107037
8,0	3000	1500	34,20	219458
10,0	2000	1000	18,16	105070
10,0	3000	1500	40,70	105074
12,0	2000	1000	22,56	107038
12,0	3000	1500	49,00	366091
15,0	2000	1000	27,20	366093
15,0	3000	1500	62,00	105075
20,0	2000	1000	36,30	366096
20,0	3000	1500	81,00	105076

*) LGM - Livsmedelsgodkänt Material

PP, plattor – VINK® PP Ortho

Kvalitet: Extruderad
Färg: Natur
Densitet: 0,90 g/cm³

Tjocklek	Längd	Bredd	Teoretisk vikt	Art.nr.
mm	mm	mm	kg/stk	
3,0	2000	1000	5,40	105066
4,0	2000	1000	7,20	105067
5,0	2000	1000	9,00	105068



PP rundstänger – VINK® PP-LGM*

Kvalitet: Extruderad
Färg: Grå RAL 7032
Densitet: 0,91 g/cm³

Utvändig	Tolerans utvändig	Längd	Teoretisk vikt	Art. nr.
Ø mm	Ø mm	mm	kg/stk	
Ø 10	+0,1/+0,6	2000	0,14	108592
Ø 15	+0,2/+0,8	2000	0,32	108600
Ø 20	+0,2/+1,2	2000	0,58	108602
Ø 25	+0,2/+1,2	2000	0,90	108605
Ø 30	+0,2/+1,2	2000	1,30	108608
Ø 35	+0,2/+1,3	2000	1,76	108611
Ø 40	+0,2/+1,5	2000	2,46	108625
Ø 45	+0,3/+2,0	2000	3,12	365323
Ø 50	+0,3/+2,0	2000	3,86	108626
Ø 55	+0,3/+2,0	2000	4,60	108633
Ø 60	+0,3/+2,3	2000	5,54	108636
Ø 65	+0,3/+2,3	2000	6,34	108653
Ø 70	+0,3/+2,5	2000	7,50	108656
Ø 75	+0,4/+3,0	2000	8,46	365507
Ø 80	+0,4/+3,0	2000	9,76	108660
Ø 90	+0,5/+3,4	2000	12,36	108668
Ø 100	+0,6/+3,8	2000	15,24	108671
Ø 110	+0,7/+4,2	2000	18,42	108673
Ø 120	+0,8/+4,6	2000	21,82	365508
Ø125	+0,8/+4,6	2000	23,80	108676
Ø 130	+0,9/+5,4	2000	25,50	365509
Ø 140	+0,9/+5,4	2000	29,88	365511
Ø 150	+1,0/+5,8	1000	17,14	112594
Ø 160	+1,1/+6,3	1000	19,50	112553
Ø 180	+1,2/+7,4	1000	24,66	117461
Ø 200	+1,3/+8,5	1000	30,89	108681
Ø 225	+1,5/+9,5	1000	38,40	117462
Ø 250	+1,5/+9,5	1000	95,80	365512
Ø 300	+1,5/+10,0	1000	68,90	158200
Ø 350	+1,5/+12,0	1000	93,00	130153

*) LGM - Livsmedelsgodkänt Material